

MODEL 11310/11610

COBRA HD™

In-Ground

Traffic Spikes

THE ONLY CHOICE...For your traffic control needs.

COBRA HD

• *STANDARD*

• *INSTALL IN
CONCRETE*

*3' (914 mm) Sections
122 lbs.*

*6' (1829 mm) Sections
251 lbs.*

LOAD RATED

12.5 Tons or 25,000 lbs.
Per Single Axle Load

3' MODELS

11310.100 Safety Red
11310.120 Galvanized
11310.130 Powder Coated

6' MODELS

11610.100 Safety Red
11610.120 Galvanized
11610.130 Powder Coated

System Requirements

- Maximum Speed 5 mph
- Tires must pass over the unit so that the tire is parallel to the teeth and not at an angle
- Warning Signs Required
- Locating & installing a Traffic Spike incorrectly or not using warning signs voids any warranty

1 Year Limited Warranty

- **Unrestricted Traffic in Free Direction**
- **Discourages Wrong Way Traffic**
- **In-Ground – Flush Mount to Road Surface**



Guardian's COBRA HD™ Traffic Spike System is designed and engineered to allow traffic to proceed freely in one direction only.

The COBRA HD™ System's main function is to prevent vehicles from proceeding through controlled entry locations by puncturing tires while allowing unrestricted passage from vehicles traveling in the allowable direction.

The COBRA HD™ Traffic Spike System provides extremely effective and economical one-way directional, unmanned traffic control. The COBRA HD™ product is manually activated and engineered with counter-balanced technology that provide a reliable and low maintenance operation.

GUARDIAN reserves the right to make changes to specifications at any time

MODEL 11310/11610

COBRA HD™

In-Ground

Traffic Spikes

"TOP DOWN DESIGN" for Easy Maintenance

COBRA™ HD *Features and Benefits*

Specifications

3/8" Hot Rolled Steel Top Plate

Curved Tooth, Fishhook
Disabler

Heavy Duty Steel Construction

Positive Stop Eliminates Wear

Specially Engineered Teeth

Built-In Latch Down Device

Built-In Sound Dampeners



Virtually Maintenance Free


Trouble Free Operation

Counter Balanced

Corrosion Prevention

Modular Style Provided Design Flexibility

*Eliminates Tire Damage in Unrestricted
Direction*



**3' Section Shown
11300.100**

Installation

Excavation Required

Install Flush to Concrete

Road Surface

Available Options

Safety Red or Yellow

Galvanized or Powder Coated

Warning Signs

Reflective

Lighted


Solar

English or Spanish



Unparalleled Features in the Industry

- *Top Plate Mounted Components*
- *Heavy Duty Steel Construction*
- *Reliable Zinc Plated Moving Parts*
- *Positive Stop Eliminates Wear*
- *Specially Engineered Teeth*
- *Built-In Latch Down Device*



DISTRIBUTED BY:



**Christine Richards
(520)780-9751**